

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6715079").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/08 18:13
L2	0	(2002/0178412).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/08 18:13
L3	1	("20020178412").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/08 18:20
L4	1	("5912972").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/08 18:20
L5	680	code with heal\$4 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 18:22
L6	50	code with heal\$4 same (error or delet\$4 or eras\$5) and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 18:29
L7	1	("6958162").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/08 18:34
L8	22	Moskowitz.in. and delimit\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 18:34
L9	5	code same hash same compare same authenticate and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 19:50
L10	325	713/189.ccls. and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 19:50

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((("6289486") or ("6334197") or ("2004016069") or ("20020114399")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/08 13:57
L2	456	eom.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 13:53
L3	11	eom.in. and dummy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 13:53
L4	4	((("6289486") or ("6334197") or ("20040161069") or ("20020114399")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/08 13:57
S1	879	generat\$4 with instruction\$4 same algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 16:16
S2	82	key same generat\$4 with instruction\$4 same algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 16:17
S3	89	key same (creat\$3 or generat\$4) with instruction\$4 same algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 16:17
S4	339	key same (creat\$3 or generat\$4) with (program or instruction\$4) same algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 16:18
S5	134	"380"/\$.cccls. and key same (creat\$3 or generat\$4) with (program or instruction\$4) same algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 16:59
S6	125	"713"/\$.cccls. and key same (creat\$3 or generat\$4) with (program or instruction\$4) same algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:38
S7	39	"726"/\$.cccls. and key same (creat\$3 or generat\$4) with (program or instruction\$4) same algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:00

## EAST Search History

S8	0	"cryptographic algorithm".clm. same "does not require access".clm. and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:39
S9	95	"cryptographic algorithm".clm. and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:39
S10	0	"does not require".clm. and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:39
S11	0	"does not require".clm. and @ad<"20000628"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:39
S12	0	"apply a first".clm. and @ad<"20000628"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:53
S13	0	(observe or evaluate or assess) same action\$3 with algorithm with key and @ad<"20000628"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:54
S14	17	(observe or evaluate or assess) same action\$3 with algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:57
S15	62	secure with repository same key and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:58
S16	31994	generat\$4 same computer with (program or instruction\$3) and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:59
S17	110	key same algorithm same generat\$4 same computer with (program or instruction\$3) and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 18:05
S18	16	emulate with key same encrypt\$6 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:17
S19	0	output same mux same obfuscate and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:17

## EAST Search History

S20	0	output same multiplex same obfuscate and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:17
S21	0	output same "xor" same obfuscate and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:17
S22	341	obfuscation and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:19
S23	0	colberg.in. and obfuscation and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:19
S24	0	colberg.in. and obfuscation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:19
S25	0	colberg.in. and obfuscat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:19
S26	76	colberg.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 11:20
S27	3	collberg.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 14:13
S28	3	((("6289486") or ("6598202") or ("6334197"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/07 14:17
S29	0	((("dummywithbit\$3withtable") or ("and@pd<20050531"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/07 14:17
S30	76	dummy with bit with table and @pd<"20050531"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 14:21
S31	135	dummy with bit with counter and @pd<"20050531"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 14:39

## EAST Search History

S32	4	((("6289486") or ("6334197") or ("20040161069") or ("20020114399") or ("20040161069")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/07 17:15
S33	6	dummy with symbol with sequent\$ and @pd<"20050531"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 14:40
S34	1	("6643775").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/07 17:42
S35	768677	"playing hide and seek" key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 17:43
S36	0	"playing hide and seek" and key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 17:43
S37	5	"hide and seek" and key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 17:56
S38	206	key with hide and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 17:56
S39	8	key with hide and obfuscate\$ and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 17:58
S40	50	key with property and obfuscate\$ and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:00
S41	0	key with attribute\$4 same obfuscate\$ and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:00
S42	24	key with attribute\$4 same pseudo\$6 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:13
S43	57	key with pseudocode and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:14

## EAST Search History

S44	10	key with pseudocode and encrypt\$ and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:21
S45	9	key same pseudocode same encrypt\$ and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:23
S46	3	key same obfuscate same encrypt\$ and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:26
S47	535	key same propert\$3 same encrypt\$ and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:26
S48	315	key with propert\$3 same encrypt\$ and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:26
S49	0	key with propert\$3 same encrypt\$ same obfuscat\$4 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:26
S50	0	key with attribut\$3 same encrypt\$ same obfuscat\$4 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:27
S51	16	encrypt\$4 with code same obfuscat\$4 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:36
S52	0	compile same obfuscate same key and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:36
S53	8	compil\$4 same obfuscat\$4 same key and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:45
S54	420	compil\$4 with key and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:46
S55	68	compil\$4 with key with code and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 18:51

## EAST Search History

S56	16	implement with key with code same encrypt and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 13:52
-----	----	---	---	----	----	------------------